



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification⁶ :
G08G 1/017, 1/0967, G07B 15/00

A1

(11) International Publication Number: WO 98/53436

(43) International Publication Date: 26 November 1998 (26.11.98)

(21) International Application Number: PCT/BE98/00071

(22) International Filing Date: 19 May 1998 (19.05.98)

(30) Priority Data:
9700438 20 May 1997 (20.05.97) BE

(71) Applicant (for all designated States except US): SMART-MOVE, NAAMLOZE VENNOOTSCHAP [BE/BE]; Vanden Tymplestraat 33, B-3000 Leuven (BE).

(72) Inventor; and

(75) Inventor/Applicant (for US only): BUYTAERT, Steven, Herwig, Cyriel [BE/BE]; Kesseldallaan 91 bus 11, B-3010 Kessel-Lo (BE).


(74) Agent: DONNE, Eddy; Bureau M.F.J. Bockstael N.V., Arenbergstraat 13, B-2000 Antwerpen (BE).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

With international search report.

(54) Title: METHOD AND DEVICE FOR ESTABLISHING A WIRELESS COMMUNICATION BETWEEN VEHICLES AND COMMUNICATION EQUIPMENT ERECTED ALONG THE ROAD



(57) Abstract

Method for establishing a wireless communication between vehicles and communication equipment erected along the road, in particular a communication (2) between one or several modules (6) provided to the respective vehicles (3) and communication equipment (5) along the road (4), characterized in that use is made for the communication (2) of the "direct sequence spread spectrum" principle, also called the "direct access broad spectrum" principle, whereby several modules (6) of such vehicles (3) can simultaneously communicate with the above-mentioned communication equipment (5) on one and the same frequency band, and whereby each communicating module (6) is distinguished from the other ones to this end on the basis of an allotted code (8).

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

Method and device for establishing a wireless
5 communication between vehicles and communication
equipment erected along the road.

The present invention concerns a method and a device for
establishing a wireless communication between vehicles
10 and communication equipment along the road.

The invention is designed in the first place for
exchanging data between a vehicle and a transmitting
station and/or receiving station along the road, among
15 others data related to toll driving.

Systems for exchanging data between vehicles and
communication equipment along the road are already known,
but these known systems are little suitable for toll
20 driving, as they cannot transmit the data concerned with
sufficient certainty in the often short time available.

Also, the present invention concerns a method and device
for establishing such a communication which does not have
25 the above-mentioned disadvantage, in other words which
allow for a two-way communication which, even with a
transmission and receiving range extending over a very
short distance, for example a few metres, makes it
possible to have a very reliable data exchange between a
30 module in a car, in particular a riding car, and
receiving equipment erected along the road in a very
short time.

To this end, the invention in the first place concerns a

method for establishing a wireless communication between vehicles and communication equipment erected along the road, in particular a communication between one or several modules provided to the respective vehicles and communication equipment along the road, characterized in that use is made for the communication of the "direct sequence spread spectrum" principle, also called the "direct access broad spectrum" principle, whereby several modules of such vehicles can simultaneously communicate with the above-mentioned communication equipment on one and the same frequency band, and whereby each communicating module is distinguished from the other ones to this end on the basis of an allotted code.

The use of what is called the "direct sequence spread spectrum" principle, offers the advantage that a large number of communication links can be simultaneously established with the modules of several passing vehicles. Another major advantage of applying the "direct sequence spread spectrum" principle for such a communication consists in that a good communication can be established with very great certainty, in other words a communication whereby all the required information is transmitted, even when the vehicles pass at a very high speed and thus are situated within the range of the equipment used for merely some tenths of a second. The data to be transmitted are coded very redundantly by means of the above-mentioned code, so that even a partial loss of the transmission is compensated by the redundancy of the data.

Preferably, a two-way communication is established to this end.

Further, for the above-mentioned code is preferably used what is called a pseudo arbitrary code.

According to the most preferred embodiment, use is made
5 of what is called the "DSRC microwave band" for the above-mentioned frequency band, which is situated at about 5.8 Gigahertz.

According to the most preferred embodiment, also the
10 content of the communication will be secured, in particular by cryptographically transforming it so as to allow for authentication of the source and/or encryption of the data.

15 According to a particular embodiment, the communication equipment along the road will be mobile, in particular it will be equipment which can be moved and/or wheeled, so that it can be easily used in different places.

20 Further, the invention also concerns a device for realizing the above-mentioned method, characterized in that it consists of the combination of a multiple of modules which are to be build in and/or are built in respectively in vehicles on the one hand, and
25 communication equipment which is erected and/or can be erected along the road on the other hand, whereby these modules and this communication equipment is provided with electronics which make it possible for the communication equipment to communicate with the modules situated within
30 the transmission and receiving range of said communication equipment by means of a wireless connection at short distance, such by means of a communication making use of the "direct sequence spread centrum" principle, also called "direct access broad spectrum"

principle.

In order to better explain the characteristics of the invention, the following preferred embodiment is described as an example only without being limitative in any way, with reference to the sole accompanying drawing, which schematically represents a device according to the invention, applied for toll driving.

10 As is represented in the accompanying figure, the invention concerns a device 1 for establishing a wireless communication, in particular a two-way communication 2, between vehicles 3 which are situated on a road 4, and communication equipment 5 which is erected along the road 15 4, for example on the side thereof.

The two-way communication 2 is hereby carried out by means of modules 6 which are provided to this end in the vehicles 3.

20

The invention is special in that, on condition that the necessary electronics are provided in the communication equipment 5 and in the modules 6, a communication 2 is established with every vehicle 3, making use of the 25 "direct sequence spread spectrum" principle, also called the "direct access broad spectrum" principle, whereby all modules 6 situated within the range 7 of the transmission and receiving equipment used hereby, can communicate with the above-mentioned communication equipment 5 on one and 30 the same frequency band, as every communicating module 6 is distinguished from another one on the basis of the allotted code 8.

The use of the "direct sequence spread spectrum"

principle allows for a very solid communication. As is known, data are hereby transmitted in such a digitized manner that even when interferences occur whereby certain digits are lost, the transmitted data can still be perceived with great if not complete certainty, so that no second attempt has to be made to communicate, as is the case with other systems known until now which are used to establish communication links between riding vehicles and a beacon or such along the road.

Thanks to the fact that a reliable communication can always be established as of the first request according to the invention, the necessary data can be transmitted in a very short time, so that also very fast vehicles 3, which are merely present within the range 7 for a fraction of a second, can be intercepted in the case of toll driving.

Moreover, by allotting a pseudo arbitrary code 8 to the different modules 6 as mentioned above, the different modules can be easily distinguished, in other words can be easily identified.

As mentioned above, it is clear that the invention both concerns the method used hereby as the whole of components for realizing said method.

It is clear that the above-mentioned modules 6 are not necessarily independent units which are built in in the vehicles 3, but that they can also be electronic circuits which are part of the onboard computer or such of the vehicles 3 concerned.

The present invention is by no means limited to the

embodiment described as an example and represented in the drawing; on the contrary, such a method and device for establishing such a wireless communication can be made according to several variants while still remaining
5 within the scope of the invention.

Claims.

5

1. Method for establishing a wireless communication between vehicles and communication equipment erected along the road, in particular a communication (2) between one or several modules (6) provided to the respective
10 vehicles (3) and communication equipment (5) along the road (4), characterized in that use is made for the communication (2) of the "direct sequence spread spectrum" principle, also called the "direct access broad spectrum" principle, whereby several modules (6) of such
15 vehicles (3) can simultaneously communicate with the above-mentioned communication equipment (5) on one and the same frequency band, and whereby each communicating module (6) is distinguished from the other ones to this end on the basis of an allotted code (8).

20

2. Method according to claim 1, characterized in that a two-way communication (2) is established by means of the above-mentioned principle.

25

3. Method according to claim 1 or 2, characterized in that for the above-mentioned code (8) is used what is called a pseudo arbitrary code.

30

4. Method according to any of the preceding claims, characterized in that for the above-mentioned frequency band, use is made of what is called the "DSRC microwave band", which is situated at about 5.8 Gigahertz.

5. Method according to any of the preceding claims,


characterized in that the content of the communication (2) is secured.

5 6. Method according to claim 5, characterized in that the content of the communication (2) is secured by cryptographically transforming it.

10 7. Method according to any of the preceding claims, characterized in that the communication equipment (5) erected along the road (4) is mobile.

15 8. Method according to any of the preceding claims, characterized in that it is used for transmitting data during toll driving.

20 9. Device for realizing the method of claim 1, characterized in that it consists of the combination of a multiple of modules (6) which are to be build in and/or are built in respectively in vehicles (3) on the one hand, and communication equipment (5) which is erected and/or can be erected along the road (4) on the other hand, whereby these modules (6) and this communication equipment (5) is provided with electronics which make it possible for the communication equipment (5) to
25 communicate with the modules (6) situated within the transmission and receiving range (7) of this communication equipment (5) by means of a wireless connection at short distance, such by means of a communication (2) making use of the "direct sequence
30 spread centrum" principle, also called "direct access broad spectrum" principle.



INTERNATIONAL SEARCH REPORT

National Application No.

PCT/BE 98/00071

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 G08G1/017 G08G1/0967 G07B15/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 G07B G07C G08G H04B H04J

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 89 04093 A (NYSEN PAUL A ; TOBIAS RAPHAEL (AU)) 5 May 1989 see abstract; claims; figures see page 1, line 25 - page 3, line 14 see page 10, line 17 - page 12, line 31 see page 39, line 1 - line 7 see page 53, line 3 - line 22 ---	1-9
Y	US 5 488 631 A (GOLD KENNETH S ET AL) 30 January 1996 see abstract; figures see column 1, line 9 - column 2, line 4 see column 6, line 10 - line 41 --- -/--	1-6,9

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

26 August 1998

Date of mailing of the international search report

03/09/1998

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Meyl, D

INTERNATIONAL SEARCH REPORT

In' tional Application No

PCT/BE 98/00071

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	EP 0 495 708 A (GEMPLUS CARD INT) 22 July 1992 see abstract; figures see column 1, line 4 - line 50	7,8
A	---	1,2,9
A	GB 2 285 371 A (SAMSUNG ELECTRONICS CO LTD) 5 July 1995 see abstract; claims; figures	1-3,9
A	---	
A	DE 43 31 286 A (BOSCH GMBH ROBERT) 16 March 1995 see abstract; claims; figures	1,9
A	---	
A	EP 0 465 165 A (XEROX CORP) 8 January 1992 -----	

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/BE 98/00071

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 8904093 A	05-05-1989	AT 132673 T	15-01-1996
		AU 610290 B	16-05-1991
		AU 2602588 A	23-05-1989
		AU 2647788 A	08-06-1989
		CA 1300289 A	05-05-1992
		CN 1035596 A	13-09-1989
		DE 3854862 D	15-02-1996
		DE 3854862 T	14-11-1996
		EP 0328836 A	23-08-1989
		HU 212136 B	28-03-1996
		IN 171133 A	01-08-1992
		JP 3503229 T	18-07-1991
		US 5164985 A	17-11-1992
		CN 1037812 A,B	06-12-1989
US 5488631 A	30-01-1996	AU 4133196 A	23-05-1996
		WO 9613907 A	09-05-1996
EP 0495708 A	22-07-1992	FR 2671894 A	24-07-1992
		DE 69200097 D	19-05-1994
		DE 69200097 T	04-08-1994
GB 2285371 A	05-07-1995	DE 4447230 A	06-07-1995
		JP 7222253 A	18-08-1995
		US 5604732 A	18-02-1997
DE 4331286 A	16-03-1995	CN 1115852 A	31-01-1996
		EP 0644516 A	22-03-1995
EP 0465165 A	08-01-1992	US 5101417 A	31-03-1992
		CA 2041913 A,C	30-12-1991
		DE 69126246 D	03-07-1997
		DE 69126246 T	13-11-1997
		JP 2040492 C	28-03-1996
		JP 4233839 A	21-08-1992
		JP 7048710 B	24-05-1995